




Your ONE-STOP Shop

60 Series Channel Balances



- General Information**
- Sash weights indicated below are weights 2 balances per sash will carry with no weatherstripping friction considered.
 - Balances stamped with a 3-digit number (e.g. 122, 183, 143) or a 2-digit number (e.g. 15, 18, 19) will require you to contact your sales representative for more information; such as exact channel length, type of ends attached, etc.
 - Any other number/letter variations should first be discussed with your representative to ensure that your order will be filled correctly.
 - For sash weights over those indicated on chart below, please provide the following information:
 - Number stamped on balance _____
 - Balance length _____
 - Sash weight _____
 - Upper or lower sash _____
 - e) 2 or 4 balances per sash _____

All special weight balances are limited travel and require repositioning the existing sash stops. Special weight balances were usually stamped with a 4 digit number followed by a 2 digit number. (e.g. 2640 42 or 2690 42 indicates (2) 27" balances carrying a 42lb sash.)

Part number examples: Stamped 2640 42:

60-26S42L - 27" 42lb - Lower Sash, 2 Balances
60-26S42U - 27" 42lb - Upper Sash, 2 Balances
60-26S42L4 - 27" 42lb - Lower Sash, 4 Balances/Sash
60-26S42U4 - 27" 42lb - Upper Sash, 4 Balances/Sash

- Ordering Information**
- Measure metal channel balance length. (Do not include plastic ends.)
 - Check number stamped on channel. (e.g. 2010, 28A, 3620 etc.)
 - Select our corresponding part number from the chart below.
 - To identify the top and bottom ends to be attached, refer to pages 11-15.

Note: Top and bottom balance ends must be ordered separately. If you want ends attached, add the letter "A" to the suffix of the part number when ordering. If you find the ends you need and they are located with the popular combinations, look for the suffix number and just add that suffix number to the end of the balance part number you selected (e.g. balance 60-242 with ends 60-507 and 60-501 add the suffix -1 so the final part number is 60-242-1).

Please Note (Important New Information)

- Due to recent changes by manufacturers on balances 29" and above, there are now 5 weight ranges as opposed to 4.
 - If your existing balance has a "BSI" stamped on the face of the balance by the 4 digit number, order exactly as seen on this chart.
 - If your existing balance does not have BSI stamped on it and your balance's 4 digit number has a 40 suffix (e.g. 2840, 2940, 3040, 3640 etc.), you have the old style balance and for 29" balances and above - order 2850, 2950, 3050, 3650, etc.
 - If you are unsure, weigh your sash and choose from the weight charts indicated below.
- NOTE:** With the 60 series take out system, the sash balance becomes part of the sash. Therefore, when calculating sash weights, you must add the physical balance weight to the sash weights.

For weights above those listed in your chart, contact your account manager.






Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Number Stamped on Balance	Sash Weight	Our Part Number	Number Stamped on Balance	Sash Weight	Our Part Number	Number Stamped on Balance	Sash Weight	Our Part Number	Number Stamped on Balance	Sash Weight	Our Part Number
13"	1210	3-5 lbs	60-121	1220	6-9 lbs	60-122	1230	9-11 lbs	60-123	1240	11-12 lbs	60-124			
14"	1310	3-5 lbs	60-131	1320	6-9 lbs	60-132	1330	9-11 lbs	60-133	1340	11-12 lbs	60-134			
15"	1410	4-6 lbs	60-141	1420	6-10 lbs	60-142	1430	10-12 lbs	60-143	1440	12-13 lbs	60-144			
16"	1510	4-6 lbs	60-151	1520	6-10 lbs	60-152	1530	10-12 lbs	60-153	1540	12-13 lbs	60-154			
17"	1610	5-8 lbs	60-161	1620	8-12 lbs	60-162	1630	12-14 lbs	60-163	1640	14-19 lbs	60-164			
18"	1710	5-8 lbs	60-171	1720	8-12 lbs	60-172	1730	12-14 lbs	60-173	1740	14-17 lbs	60-174			
19"	1810	5-8 lbs	60-181	1820	8-12 lbs	60-182	1830	12-14 lbs	60-183	1840	14-17 lbs	60-184			
20"	1910	5-8 lbs	60-191	1920	8-12 lbs	60-192	1930	12-14 lbs	60-193	1940	14-17 lbs	60-194			
21"	2010	5-8 lbs	60-201	2020	8-12 lbs	60-202	2030	12-15 lbs	60-203	2040	15-23 lbs	60-204			
22"	2110	5-8 lbs	60-211	2120	8-12 lbs	60-212	2130	12-15 lbs	60-213	2140	15-23 lbs	60-214			
23"	2210	5-8 lbs	60-221	2220	8-12 lbs	60-222	2230	12-19 lbs	60-223	2240	19-23 lbs	60-224			
24"	2310	5-8 lbs	60-231	2320	9-15 lbs	60-232	2330	15-18 lbs	60-233	2340	18-23 lbs	60-234			
25"	2410	5-9 lbs	60-241	2420	9-15 lbs	60-242	2430	15-19 lbs	60-243	2440	19-24 lbs	60-244			
26"	2510	5-9 lbs	60-251	2520	9-15 lbs	60-252	2530	15-19 lbs	60-253	2540	19-25 lbs	60-254			
27"	2610	5-9 lbs	60-261	2620	9-13 lbs	60-262	2630	13-19 lbs	60-263	2640	19-26 lbs	60-264			
28"	2710	5-9 lbs	60-271	2720	9-13 lbs	60-272	2730	13-19 lbs	60-273	2740	19-26 lbs	60-274			
29"	2810	7-12 lbs	60-281	2820	12-16 lbs	60-282	2830	16-23 lbs	60-283	2840	23-28 lbs	60-284	2850	28-32 lbs	60-285
30"	2910	7-12 lbs	60-291	2920	12-16 lbs	60-292	2930	16-23 lbs	60-293	2940	23-28 lbs	60-294	2950	28-32 lbs	60-295
31"	3010	7-12 lbs	60-301	3020	12-16 lbs	60-302	3030	16-23 lbs	60-303	3040	23-28 lbs	60-304	3050	28-32 lbs	60-305
32"	3110	7-12 lbs	60-311	3120	12-16 lbs	60-312	3130	16-23 lbs	60-313	3140	23-28 lbs	60-314	3150	28-32 lbs	60-315
33"	3210	8-13 lbs	60-321	3220	13-18 lbs	60-322	3230	18-23 lbs	60-323	3240	23-28 lbs	60-324	3250	28-32 lbs	60-325
34"	3310	8-13 lbs	60-331	3320	13-18 lbs	60-332	3330	18-23 lbs	60-333	3340	23-28 lbs	60-334	3350	28-32 lbs	60-335
35"	3410	8-13 lbs	60-341	3420	13-18 lbs	60-342	3430	18-23 lbs	60-343	3440	23-30 lbs	60-344	3450	30-34 lbs	60-345
36"	3510	8-13 lbs	60-351	3520	13-18 lbs	60-352	3530	18-23 lbs	60-353	3540	23-30 lbs	60-354	3550	30-35 lbs	60-355
37"	3610	8-13 lbs	60-361	3620	13-18 lbs	60-362	3630	18-23 lbs	60-363	3640	23-30 lbs	60-364	3650	30-35 lbs	60-365
38"	3710	8-13 lbs	60-371	3720	13-18 lbs	60-372	3730	18-23 lbs	60-373	3740	23-30 lbs	60-374	3750	30-35 lbs	60-375
39"	3810	9-14 lbs	60-381	3820	14-19 lbs	60-382	3830	19-24 lbs	60-383	3840	24-30 lbs	60-384	3850	30-35 lbs	60-385
40"	3910	9-14 lbs	60-391	3920	14-19 lbs	60-392	3930	19-24 lbs	60-393	3940	24-30 lbs	60-394	3950	30-35 lbs	60-395
41"	4010	9-14 lbs	60-401	4020	14-19 lbs	60-402	4030	19-23 lbs	60-403	4040	23-30 lbs	60-404	4050	30-35 lbs	60-405
42"	4110	9-14 lbs	60-411	4120	14-19 lbs	60-412	4130	19-24 lbs	60-413	4140	24-30 lbs	60-414	4150	30-35 lbs	60-415
43"	4210	9-14 lbs	60-421	4220	14-19 lbs	60-422	4230	19-24 lbs	60-423	4240	24-30 lbs	60-424	4250	30-35 lbs	60-425
44"	4310	9-14 lbs	60-431	4320	14-19 lbs	60-432	4330	19-24 lbs	60-433	4340	24-30 lbs	60-434	4350	30-35 lbs	60-435
45"	4410	9-14 lbs	60-441	4420	14-19 lbs	60-442	4430	19-24 lbs	60-443	4440	24-30 lbs	60-444	4450	30-35 lbs	60-445
46"	4510	9-14 lbs	60-451	4520	14-19 lbs	60-452	4530	19-24 lbs	60-453	4540	24-30 lbs	60-454	4550	30-35 lbs	60-455
47"	4610	9-14 lbs	60-461	4620	14-19 lbs	60-462	4630	19-24 lbs	60-463	4640	24-30 lbs	60-464	4650	30-35 lbs	60-465
48"	4710	9-14 lbs	60-471	4720	14-19 lbs	60-472	4730	19-24 lbs	60-473	4740	24-30 lbs	60-474	4750	30-35 lbs	60-475
49"	4810	9-14 lbs	60-481	4820	14-19 lbs	60-482	4830	19-24 lbs	60-483	4840	24-32 lbs	60-484	4850	32-35 lbs	60-485
50"	4910	9-14 lbs	60-491	4920	14-19 lbs	60-492	4930	19-24 lbs	60-493	4940	24-32 lbs	60-494	4950	32-35 lbs	60-495



Your ONE-STOP Shop

60 SERIES POPULAR COMBINATIONS


Most Popular Combination




Acorn



Not Included with Suffix -7





Bellview




Bellhouse

Use 60-501




Suffix -6


Capitol



Not Included with Suffix -6




Capitol




Capitol

Original in Clear Plastic





Suffix -11

Capitol/MI



Crossly



Suffix -4

Crossly






Your ONE-STOP Shop


60 SERIES POPULAR COMBINATIONS

Riveted Unless Otherwise Indicated




60-507
Top


Fiberlux/Bollview




60-598
Bottom




60-513
Top



60-513B
Body Only




60-592
Used with 60-513B




60-505
Bottom

Must be installed with screw 20-046 at time of installation.


General Bronze




60-511
Top



60-701
Frame Guide
Ida




60-512
Bottom




60-563
Top

Jones




60-564
Bottom




60-905
Top

New Security




60-904
Bottom




60-919
Top

Old Security




60-904
Bottom




60-595
Top


Pan Am




60-596
Bottom




60-575
Top



60-616
Sash Guide
Pan Am




60-576
Bottom




60-907
Top

Suffix -9




60-908
Bottom

Silver Line




900-15343
Top

Weatherlane




900-15344
Bottom




60-509
Top

Suffix -5



60-500
Bottom

WT Industries




60-614
Sash Guide

Not Included with Suffix -5




Your ONE-STOP Shop

60 SERIES POPULAR COMBINATIONS




60-936
Top




60-500
Bottom

Yale Ogron




60-933
Top




60-904
Bottom

Rollyson




60-903
Top




60-904
Bottom

Rollyson


TOP BRACKETS




60-568
SWS




60-919
Old Security




60-907
Silverline




60-933




60-903
Rollyson




60-595
Pan Am




60-591
Capitol




60-506
Capitol




60-569
Rollyson




900-15343
Weathervane




900-10269
Bellview




60-560
Acorn




60-578
Bellhouse




60-510
Crossly




60-511
IDA




60-507
White




60-936
Yale Ogron



60-916
Capitol



60-508




60-901
Crossly




Your ONE-STOP Shop


TOP BRACKETS




60-563
Jones




60-905
New Security



60-575
Pan Am




60-513
General Bronze




60-509
WT Industries


BOTTOM BRACKETS




60-904
Rollyson




60-908
Silverline




60-576
Pan Am




60-504
Crossly




900-15344
Weathervane




60-902
Crossly




60-505
Must be installed with screw
20-046 at time of installation.
General Bronze




60-516
Rollyson




60-596
Pan Am




60-500
Capitol/WT Industries




60-587
Seasonall




60-501
General Bronze




60-503




60-590
Capitol




60-598
Fiberlux




60-909
Capitol




60-597



60-502
Seasonall



60-564
Jones




60-915
Capitol




Your ONE-STOP Shop

BOTTOM BRACKETS




60-561
Acorn



60-512
IDA

TERMINAL CLIP



60-518

STEEL RIVETS




Part #	Description
60-514	3/32" Dia.
60-570	1/8" Dia., Heavy Duty 5/8" Length


20-183

Rivet and Drive Screw Assy. Used when no rivet tool is available.


PLASTIC TOP SASH GUIDES - In Order by Length




60-616
Pan Am




60-619
LH & RH Set
Pan Am




60-632
King




60-640
Nylon
General Aluminum/Pan Am




60-600
Pennco




60-601
Pennco




60-630
Capitol




60-621




60-620
Pair
Crossly




60-629




900-14149BA
LH & RH Set
Black




60-672
White
Capitol




60-643




900-18946
Black



60-733
Black
Gallatin/Gapco




900-6799A
LH & RH Set, White
Gapco




Part #	Hand
60-605	Shown
60-606	Opposite


Weatherstripping not included.
IDA



60-645



60-676BA
LH & RH Set
Black



900-15838X
Black Plastic



Your ONE-STOP Shop


























PLASTIC TOP SASH GUIDES - In Order by Length

60-658 Jordan	60-651A LH & RH Set Sugarbrook	900-9963 LH & RH Set	<table border="1"> <thead> <tr> <th>Part #</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>60-602</td> <td>White</td> </tr> <tr> <td>60-602B</td> <td>Black</td> </tr> </tbody> </table>	Part #	Color	60-602	White	60-602B	Black	900-13531A LH & RH Set, Black Mannix
Part #	Color									
60-602	White									
60-602B	Black									
60-661 Black	900-10066	60-624 White Graham	60-653 Crossly	900-15768 Black						
60-654 Old Style No Longer Available Seasonall	60-654 New Style Seasonall	60-641 Binnings	900-1852 3/16" dia. hole. Hole center up 17/32" from bottom.	60-612 Hole center up 9/16" from bottom.						
<table border="1"> <thead> <tr> <th>Part #</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>60-613</td> <td>Natural</td> </tr> <tr> <td>60-613B</td> <td>Black</td> </tr> </tbody> </table> Hole center up 9/16" from bottom. Crossly	Part #	Color	60-613	Natural	60-613B	Black	900-19798 White	60-652A LH & RH Set Alco/Anaconda	60-618 White Seasonall	900-10122 White Kinco
Part #	Color									
60-613	Natural									
60-613B	Black									
60-646 Black Binnings	900-16080 Black Harcas	60-604 Howmet	60-666 LH & RH Set Black	900-11075 White						



Your ONE-STOP Shop










PLASTIC TOP SASH GUIDES - In Order by Length

 60-675BL Black Rollyson	 60-648 Black Kawneer/Widing	 <table border="1"> <thead> <tr> <th>Part #</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>60-657WH</td> <td>White</td> </tr> <tr> <td>60-657BL</td> <td>Black</td> </tr> </tbody> </table> Fiberlux	Part #	Color	60-657WH	White	60-657BL	Black	 60-622 Reynolds	 60-647 White Milco
Part #	Color									
60-657WH	White									
60-657BL	Black									
 60-659 White King	 60-642	 900-18140W White Norandex	 900-1884A LH/RH Set, Black Mannix	 60-644 Black Storm Weather						
 60-656 Black Howard	 60-617 White	 900-14664 Seasonall	 60-649A LH & RH Set, Black Peco	 900-16514A LH & RH Set w/Weatherstrip, Black Alenco						
 900-15743BA LH & RH Set, Black Stormweather	 60-660 Black	 900-15755BA LH & RH Set, Black Stormweather	 900-11106 Black	 900-16814 Black						
 60-582 White Seasonall	 60-941 Black Traco	 900-15743BA LH & RH Set Black	 900-15245 White (Original Color Gray) Amacor	 900-12814 Black						












Your ONE-STOP Shop

PLASTIC TOP SASH GUIDES - In Order by Length




 60-650 Black	 900-15441B Black	 60-610 Black Acorn	 60-603 White	 900-14356 White						
 900-1882B Black	 60-623 Natural	 60-668 Alpine	 60-640 Nylon General	<table border="1"> <thead> <tr> <th>Part #</th> <th>Hand</th> </tr> </thead> <tbody> <tr> <td>60-684LH</td> <td>Shown</td> </tr> <tr> <td>60-684RH</td> <td>Opposite</td> </tr> </tbody> </table> White	Part #	Hand	60-684LH	Shown	60-684RH	Opposite
Part #	Hand									
60-684LH	Shown									
60-684RH	Opposite									

METAL SASH GUIDES

 900-14964-A	 900-14964	 60-609 Howard	 60-665 Crossly	 60-611
 60-663 Capitol	 900-10396	 900-9250 Bronze Capitol	 60-608 Capitol	 60-607 Capitol

SASH STOPS


TAKE OUT CLIPS

 60-705 White Rubber Capitol	 900-18768 White Seasonall	 <table border="1"> <thead> <tr> <th>Part #</th> <th>Color</th> </tr> </thead> <tbody> <tr> <td>900-9500AW</td> <td>White</td> </tr> <tr> <td>900-9500AB</td> <td>Bronze</td> </tr> </tbody> </table> Aluminum	Part #	Color	900-9500AW	White	900-9500AB	Bronze	 60-721 Plastic	 <table border="1"> <thead> <tr> <th>Part #</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>60-700</td> <td>A=1/4"</td> </tr> <tr> <td>60-708</td> <td>A=5/16"</td> </tr> </tbody> </table>	Part #	Description	60-700	A=1/4"	60-708	A=5/16"
Part #	Color															
900-9500AW	White															
900-9500AB	Bronze															
Part #	Description															
60-700	A=1/4"															
60-708	A=5/16"															




Your ONE-STOP Shop


TAKE OUT CLIPS




60-662
Plastic
Pan Am




60-701
Frame Guide
Ida




60-614
Square Guide
WT Industries



900-13360
Black Face Guide
SWS




900-14926WA
LH & RH Anti-Draft Plug Set
White




Part #	Color
60-673	White
60-673BL	Black


Vent Clip Sash Guides - Pair
Rollyson




60-674
Clear Vent Clips - Pair
Rollyson



60-664
Vent Bracket, Nylon
Yale Ogron



60-906
3 Piece Balance Guide Assembly
Louisiana Pacific



Part #	Hand
900-16930LH	Shown
900-16930RH	Opposite

Aluminum Dust Stop

Window Balance Rivet Tools

For Channel and Tube Balances
"A Must for Repair and Assembly of Balance Brackets"
(Tube & Channel)
Professional Results! Say Good-bye to Hammered Fingers!
FAST - EFFICIENT - COST EFFECTIVE

RIVET CRIMPING PLIERS



59-1

Adjusts to accommodate both tube and channel balances.

RIVET REMOVAL PLIERS



59-2

For tube balances, simply line up pin with peened rivet and squeeze. Rivet will be pushed out.
For channel balances, grind or file rivet flush and then squeeze to remove rivet.



59-3

Replacement pin for rivet removal pliers